CHITTUR HOSPITAL—POST-MORTEM SHED

72. Mr. T. S. Ramachandra Ayyar *(Chittur-Tattamangalam):* Will the Government be pleased to state.—

(*a*) are the Government aware that the post-mortem shed in the Chittur Hospital is situated very close to the wards;

(*b*) are the Government aware that this is not conducive to the peace of mind of the inmates of the hospital;

(*c*) will the Government kindly construct a new post-mortem shed at a convenient distance from the wards?

Dr. T. Verghese *(Chief Medical Officer):*

(*a*) Yes.

(*b*) No.

(*c*) Will be considered when funds permit.

CHITTUR HOSPITAL—LOCATION OF LATRINE

73. Mr. T. S. Ramachandra Ayyar *(Chittur-Tattamangalam):* Will the Government be pleased to state.—

(*a*) are the Government aware that the present latrine in the Chittur Hospital compound is far away from the maternity ward proposed to be constructed;

(*b*) is there provision in the estimate for the new ward for the construction of a latrine for the use of the inmates of the new ward;

(*c*) if the answer to sub-division (*b*) is in the negative, will the Government be pleased to construct a new latrine in the current year itself?

Dr. T. Verghese *(Chief Medical Officer):*

(*a*) Yes; it is a little far away.

(*b*) No.

(*c*) If after the construction of the new ward the necessity for a separate latrine is keenly felt, then, the question of constructing a new latrine will be taken up for consideration.

LIBRARY ARCHIVES Kerala Legislative Assembly